

FC-BPD-PH Ballistic Doors

Protection Against Assaulting Weapons



- ✓ **Certified by UL752 Level 8**
- ✓ **Certified by NIJ Level III**
- ✓ **Non-penetration and Non-spalling**

FC-BPD-PH Ballistic doors are designed to provide high-level ballistics protection to many high-risk military installations, government buildings, embassies, and VIP residences. The protection performance of this product meets UL752 Level 8 and NIJ Level III and it is type tested by Intertek. The products could provide non-spalling protection.

FC-BPD-PH Ballistic doors also offer excellent blast protection against high blast pressure so it can address both threats of ballistic and blast.

[Features and Benefits]

- **Excellent ballistic protection**
Providing ballistic protection by UL752 Level 8 and NIJ III against assaulting weapons.
- **Optional blast protection upon request**
Providing blast protection upon specific project definition.
- **Great durability by heavy-duty door hardware**
Door hardware designed for heavy-duty applications in long term.


[Technical Data]

Ballistic Protection	UL752 Level 8, NIJ Level III
Frame / Door leaf materials	Powder coated steel/Stainless steel with bullet-proof steel enhanced
Vision Panel (Optional)	Ballistic glazing
Accessories:	SS304 heavy-duty hinges SS304 level handle lock

[3rd Party Test]

Products are rated according to UL752 Level 8 and NIJ Level III by Intertek.
Test reports are available upon request.


[Installation type and sizes]



Model	Opening sizes		A (mm)	B (mm)	Net Weight (kg)
	W(mm)	H(mm)			
FC-BPD-PH-800X1800	800	1800	610	1620	205
FC-BPD-PH-800X2000	800	2000	610	1820	225
FC-BPD-PH-800X2100	800	2100	610	1920	235
FC-BPD-PH-1000X1800	1000	1800	810	1620	255
FC-BPD-PH-1000X2000	1000	2000	810	1820	280
FC-BPD-PH-1000X2100	1000	2100	810	1920	295
FC-BPD-PH-1000X2400	1000	2400	810	2220	340
FC-BPD-PH-1200X2000	1200	2000	1010	1820	335
FC-BPD-PH-1200X2100	1200	2100	1010	1920	355
FC-BPD-PH-1200X2400	1200	2400	1010	2220	405
FC-BPD-PH-1400X2000	1400	2000	1210	1820	395
FC-BPD-PH-1400X2100	1400	2100	1210	1920	415
FC-BPD-PH-1400X2400	1400	2400	1210	2220	470

For other size please contact FUCARE.

[UL752 Ballistic Standard Overview]

L	Weapon	Ammunition	Shots
1		 9mm 124 grain FMCJ LC	3
2		 .357 Magnum 158 grain JLSP	3
3		 .44 Magnum, 240 grain LSW GC	3
4		 .30 cal, 180 grain LCSP	1
5		 7.62mm, 150 grain LC FMCJ, military ball	1
6		 9mm, 124 grain JLSP	5
7		 5.56mm, 55 grain JLSP	5
8		 7.62mm, 150 grain LC FMCJ, military ball	5

FuCare

Innovations for better protection

FUCARE PROTECTION PTE. LTD.

21 Woodlands Close #05-06 Primz Bizhub,

Singapore 737854

Tel: +65 6260 9888

E-mail: info@fucare.com

www.fucare.com



intertek



014